Project Title		PRO.	IECT NO. <u>SUB</u> -	<u> </u>
Planning Area: Yes / No City	y Limits: Yes / No Co	unty PC Notified: Yes / N	lo / NA	
Date on Submittal:	Date F	Received:		
Application Fee: \$500.00 Date P	aid	Receipt #	Ck #	_
Fee includes two final inspection	ns and three plan reviews	. Recording Fees will be in	nvoiced separately.	
PC Approval Date:	CC Approval [Date:	Ord #	
		odivision Final Plants on and Checklist for Ap		

T' Y		ffice (479) 79	Subdiv Application a PLANNI 95-2750 • Fax	nd Ch	ecklist f	or Approv		onar.us	
PROJECT NAME									
ADDRESS/LOCAT	TION								
SECTION-TOWNS				В	UILDABL	E LOTS			
PARCEL ID				U	NBUILD <i>A</i>	ABLE LOTS			
SIZE IN ACRES				D	WELLING	UNITS			
USE		Single Fa	· =	-Famil nhom		x)Thr	ee to Five F	amily	
ZONING		☐A1 ☐R4-MF ☐C3	RE RTH-D	R1	H-MF	R2 RC	R3-SF R-MH	R3-D	R3-MF
			OWNER / AC	SENT	INFORM	ATION			
OWNER: I certify and that I have r property owner i	ead this	application ar	nd consent to it	s filing	g. (If sig r	ned by the	authorized	agent, a pro	
		APPLICA	ANT				OWNE	ER	
Contact									
Business									
Address									
Phone									
E-mail									
Signature / Date									
			CANT / AGENT	•					
DESIGN PROFESS data, information and correct. I un this Application.	n and evi nderstand	dence herewith that submitted	th submitted a al of incomple	re in a te, inc	ll respect orrect, or	s, to the b false info	est of my kr rmation is g	nowledge an rounds for ir	d belief, true nvalidation of
		ENGINE	ER				DEVELO	PER	
Contact									
Business									
Address									
Phone									
E-mail									
Signature / Date									

Who shall be responsible for any incurred costs (i.e. Recording fees)?

CHECKLIST

following applicable information must be submitted at the end of construction and <u>prior</u> to any all action by City to approve Final Plat documents for recording and individual lot sales.
<u>Application and Checklist</u> – Include a copy of this application and <u>completed</u> checklist by Design Professional and following enumerated record items and documentation.
Application Fee – <u>\$500 Application Fee</u> .
Required Documents (see specifics for each document below) City of Centerton – Planning; 200 Municipal Dr.; PO Box 208; Centerton, AR 72719

ITEM	REVIEW COPIES	FINAL "APPROVED" COPIES
18" X 24" Final Plat Drawing with a borderless "Filed for Record" block of 2.75"X2" in upper right corner.	4	6 Black and White Signed Copies
11X17 Addressing Plat (showing only the boundary, street names, lot #'s, and setbacks)	Digital	1
Drainage Report	1	1
Half Size Record Drawings	0	1
Full Size Record Drawings	4	3
Maintenance Bonds	1	0
Covenants	1	1 (Signed)
Fire Hydrant Map and Point Table	1 (PDF and Excel Spreadsheet)	0
Certificate of Completion	1	0
Digital copy of each document being submitted	1 (Jump Drive, or electronic/email)	4 (including PDF and DWG) (Jump Drive)

<u>Certificate of Completion</u> - The Engineer of Record shall submit a statement certifying that
"All improvements and installations have been completed in accordance with the approved
construction documents datedand City specifications".
Record Drawings (As-Builts) and Final Plat - Review copies of the Final Plat and Record Drawings
(as-builts) shall be submitted to the City of Centerton Planning Department. Record Drawing
layout shall meet the requirements for Preliminary Plat submittals. Record drawings must be
submitted and accepted, and all punch-listed work items of deficiencies shall be

completed/correcte agenda.	ed before th	e final plat will be	placed on th	ne Planning C	ommission meeting
show the actual Stormwater Drainag	location oge facilities agell Franchise	f: Streets-Sidewa and appurtenances Utility infrastruct	lks-ADA Ram; Water and Sure (pedestals	ps-Stripping; ewer Utilities s-poles- struc	Approved Plans and Signage; Lighting; and appurtenances tures-conduits-etc.).
Arkansas State Pla	ne Coordinator for at lea	ate System – No list two points on ea	rth Zone, NA ach drawing if	D83 Grid, (v distances hav	s referenced to the with designation of e been converted to Datum.
-	ty lines, Lot #	s, Addresses, Hydr	ant #s, with ar	n Excel spread	ivision being platted, Isheet giving the hydrant
Example: Hydrant lo	cations {Nam	ne of Subdivision}			
	hydrant #	Raw Description	Longitude	Latitude	
	5	FIRE HYDRANT	36.362969	-94.312385	
	9	FIRE HYDRANT	36.363023	-94.313307	
	13	FIRE HYDRANT	36.363641	-94.313149	
	15	FIRE HYDRANT	36.363679	-94.31245	
Stormwater detent Centerton Stormwa Staff, contact City I schedule. The Engi provide updated ca accordance with the	ion basin in ter Manager Engineer of Reconstitutions along the approventions at the approventions in the approventions at the approximations at the approximation at the app	ncluded in the proment and Drainage (1) to two (2) but cord shall model and certification the construction p	oject. The Su Manual. The siness days pr the As-built c at the detent lans and ap	rvey shall be survey must lifer to desired detention based on facilities worded drain	conducted for any as defined in the be witnessed by City dinspection date to sin information and were constructed in lage report. Any Final Plat will be
been placed at each each lot or parcel be	corner, ang	le point, and at the	beginning and		
Streetlights - Install	ed and oper	ational with electri	c power by De	eveloper or pr	oof of payment.
Street Signs – Insta ordering.	•				
documents are sub performed an ins responsibility of the	mitted as o pection of he Engineer	utline above. Once the site and all of Record to re	ce the Engine I deficient it equest a fina	er of Record ems are ad Il inspection	scheduled until all for the project has Idressed; it is the with the Planning inspection with all

required departments. The City Engineer will conduct final inspection along with City Departments. Any final corrections or deficiencies must be completed before approval of Final

Plat will be considered. The Developer will be charged for each additional final inspection required after the initial two covered by the application fee to insure all punch list items have been completed before final approval will be granted.
<u>Centerton Utilities Final Inspection</u> shall be conducted on all water and sewer systems improvements according to Section 8 of the current Centerton Water and Sewer Department's Standard Specifications and Standard Details. In addition, any inspections of water and sewer facilities, and correction of any defects identified, must be completed to the satisfaction of the Centerton Water and Sewer Department. Contact Malcom Attwood, Centerton Utilities Superintendent, at (479) 795-0222.
<u>Punch list</u> – After final inspection is performed by the City of Centerton, a punch list of items for correction and/or completion will be returned to the project engineer. These items must be full addressed, with no known items outstanding. A written statement from the project engineer for the project must be submitted saying that in the engineer's opinion, all punch list items have been addressed in a satisfactory manner. Failure to provide this written statement will result in delay of the Final Plat approval.
Re-Submittals: As required, with any revisions noted during the Review/Approval process. After the 3 rd submittal, the designated responsible party for the project will be charged a fee of \$100.00 for each additional submittal.
Certifications and Bonds: The following will be required before approval will be given on the Final Plat. Bonds apply only to public improvements, including streets and appurtenances; drainage and appurtenances; and water and sewer improvements and appurtenances as associated with the project, whether on or off-site. A detailed cost breakdown of all bondable items shall be submitted to the City for review of adequacy. All required bonds will be provided to the City with bond amounts based on approved cost breakdowns. Bonds are to be effective from date of recording final plat.
Street Maintenance Bond – standard 50% for 2 years.
Drainage Maintenance Bond – standard 50% for 2 years.
Water and Sewer Maintenance Bond (50% for 1 year). (Example in the Centerton Utilities Standard Specifications and Standard Details Manual.)
Certificate and Affidavit for the Centerton Water and Sewer Department. (Form found in the Centerton Utilities Standard Specifications and Standard Details Manual, Page 110)
<u>Deed Documents</u> – as necessary for any property to be conveyed to the City such as Lift Station or public park.
<u>Covenants</u> in final draft form. The final covenants will be reviewed by City attorney and Planning staff. The final covenants will be recorded with the Final Plat. <u>Covenants must include statements</u> similar to those on pages 9-10 of this checklist.
Final Plat Approval: At least six (6) original signed, black & white sets of Approved Final Plat drawings with a 2" H x 3 ½" W un-bordered section in upper right corner of each plat page (for recording stamp). These should include any revisions noted during the Final Plat review/approval process. (City – 2 sets; Applicant/Developer – 4 sets).
Recording: After approval by the Planning Commission and the City Council, the City will record

the final plat drawing, covenants, and ordinance in the office of the Recorder of Deeds and Records for Benton County, Arkansas. Recorded items will be returned to the engineer of record for the project unless they specify differently in writing. The final plat, covenants, and ordinance will not be recorded until all record documents have been approved and hard copies have been received.
<u>Recording Fees</u> – The Developer will be responsible for payment of filing fees before original plats are released to the owner/developer/designer. The Final Plat will not be released until all outstanding invoices, including recording fees, have been paid.

FINAL PLAT REQUIREMENTS

The following is a summary of the items, which constitute a subdivision final plat submittal. This list is a summary of the regulations of the City of Centerton. It is required that the Developer become familiar with all regulations pertaining to Final Plats adopted by and with all standard practices followed by the City in the Final Plat approval process. All Final Plats shall comply with the latest revision of the "Arkansas Standards of Practice for Property Boundary Surveys and Plats" and these requirements; and shall be drawn at a scale not smaller than 1" =100' and shall include the following information.

The Licensed Surveyor shall seal, sign and date the Final Plat survey and provide COA (Certificate of Authority) information of name, address, phone, and COA #
Boundary survey for Plat boundary, with written metes/bounds description, reading clockwise from POB, including gross and net developed area in square feet and acres. Exterior tract boundaries shall show distances in feet and directions by bearings and reflect Surveyed and Recorded values when different. When circular curves are platted, the following four (4) curve elements shall be shown: radius, arc length, chord bearing, and chord distance. Monuments or pin references bearing the license number of the responsible surveyor shall be set at all parent tract corners and at all created tract or lot corners. Tract or lot lines that cross into or across public rights-of-way shall also be monumented at the points of intersection.
Written legal description for dedicated public street ROW on perimeter of Platted area.
Point of Beginning of parent tract boundary will start from a permanent well-defined reference point such as a Section Corner or One-Quarter Section Corner.
Arkansas State Plane Coordinates, North Zone, NAD83 Grid coordinates shall be labeled on at least two corners of the Plat exterior boundary.
Ties to corners, monuments, corner accessories and other relevant witness information, which control the location of a boundary or corner, the surveyor's basis for acceptance thereof, and the originating source of monuments or accessories.
Easements: Show width, location, and purposes of all existing and proposed easements for drainage, utilities, flood control, conservation, and all other public purposes within and adjacent to the project. If an easement is blanket or indeterminate in nature, a note to this effect shall be placed on the Plat and As-Built plans. Include recording information for existing easements.
Reasonably observed encroachment and possession lines, as applicable, shall be noted.
For all properties adjacent to the exterior boundaries of the project show property lines, parcel ID's, names of owners, and deed book and page.
Name, address, telephone numbers, and fax numbers (if available), of the record subdivision owners, applicant, design professional that prepared the plat, and utility companies.
North arrow with basis of direction and bar scale. When the basis of direction is referenced to the Arkansas State Plane Coordinate System, NAD83 Grid, a note shall be included to list Convergence Angle at a specified point. If distances have been converted to ground, the

Combined Scale Factor at a specified point shall be noted.
Date of preparation, zoning classifications, setbacks, and proposed use.
A general vicinity map showing the location of the project within the city with a radius of 1 mile, indicating subject in relation to Section-Town-Range.
Notes regarding wetlands and flood areas, if applicable, including any wetland determinations performed. Flood areas shall include base flood elevation (BFE), when applicable, and reference FEMA FIRM panel number, effective date, and method of location. Each lot that is entirely or partially within a flood hazard area shall be designated as being flood prone. 100 and 500-year potential flood lines shall be shown.
Title Block, indicating the name and type of project and name of professional firm or individual who prepared the drawing(s), date prepared and revision block.
A complete and accurate legend with all symbols represented.
Location and notes regarding existing well and/or septic systems.
Location of all visible existing structures that remain on Parent tract, including buildings, manholes, hydrants, streetlights, and inlets.
Label type and dimension of monuments found or set during the course of the survey setting platted lot, parcel, and subdivision perimeter corners; All created tract/lot corners shall be pinned or otherwise monumented bearing the license number of the responsible surveyor shall be set at all tract/lot corners.
Site Benchmark tied to a specific, defined Datum Point(s) referenced to NAVD-88 Datum.
Street Right-of-Way lines, including Rights-of-Way for the City, County and the ARDOT, with centerlines dimensioned. Show the location, widths, and names or designations of all existing and proposed streets, alleys, paths, and other rights-of-way, whether public or private, within and adjacent to the project; show private easements within and adjacent to the project; and the radius of each centerline curve labeled and curve data table. Private streets shall be clearly indicated, including responsibility for operation-maintenance-repair-replacement. Identify if streets have curb and gutter or shoulder; thickness of asphalt or if other surfacing material used (ex. 3" asphalt on 6" SB-7).
Lots: The lot layout, dimensions, lot number, area in square feet and acres (to the nearest 1/100 th acre), setbacks, and easement lines shall be designated and shown for each lot. Lots shall be numbered consecutively for all phases. The total number of lots and number of developable lots shall be indicated on the plat.
Finished Floor Elevations - Where a lot is entirely or partially in a flood hazard zone with base flood elevations (BFE) determined, or adjacent to open drainage or detention ponds, the lowest finished floor elevation allowed for a building shall be indicated on the lot.
Signature Block per Centerton Requirements. See example on Page 7.

++++++++

EXAMPLE OF SIGNATURE BLOCKS for SUBDIVISION PLATS:

<u>Certificate of Ownership and Dedication of Public Rights-of-Way/Easements</u>:

I/We, the undersigned, Owner(s) of the Real Estate shown and described herein, do hereby certify that I/We am/are the sole owner(s) of the herein platted property and have caused said property to be surveyed and platted and do hereby dedicate all Rights-of-Ways and Utility, Drainage (excluding detention ponds), and Conservation Easements as shown to the public for the installation, operation, maintenance, and replacement of streets, public and franchise utilities, and drainage systems. Easements designated as utility easements or "UE" are for the above or below ground facilities and appurtenances of public and franchise utilities according to the Centerton Utility Placement Guide. The respective utility companies shall have right of ingress and egress to said easements, the right to prohibit the erection of buildings, structures, or fences within said easement, and the right to remove or trim trees, hedges or shrubs that may interfere with or endanger said utilities. Any improvements installed within the Utility Easements are installed at the risk of the installer, as they are subject to being removed without replacement should it be necessary for any public or franchised utility to undertake construction or maintenance within the Utility Easement. No other statements on this plat or hereinafter recorded therefore shall grant any utility special, exclusive, or additional privileges within designated public easements.

Printed Name / Company	Owner Signature and title	Date
Printed Name / Company	Owner Signature and title	Date
State of Arkansas County of		
Sworn to and subscribed	before me this day of	, 20
N	otary Public	
M	y Commission Expires	
Contarton Planning Commission	Annroyalı	
Centerton Planning Commission Approved by the City of Centerton Plan		
for acceptance this day of	•	
	:	
City Engineer:		
Centerton Utilities:		
Centerton City Council Acceptar	nce:	
This plat and any dedication(s) thereon	is/are hereby accepted by the City	
of Centerton City Council this day	of	
ORDINANCE No. 20		
Mavor – Bill Edwards	City Clerk – Todd Wright	

Statement Required in Covenants

Storm Water Management Facilities Maintenance –

- "Under and pursuant to various regulations from time-to-time adopted and implemented by the City, responsibility for operation, maintenance, repair, and replacement of storm water management facilities developed, constructed, or installed within the Subdivision, or to service the Subdivision, is hereby imposed upon the owners of the lots within the Subdivision. Such facilities are hereby declared to constitute common properties of the Subdivision whether on or offsite.
- 2. In order to ensure compliance with and enforcement of such regulations, the City is hereby declared to be a third party beneficiary under these covenants and conditions, and is specifically authorized and empowered hereunder, as fully as if a signatory hereto, to undertake and perform required operation, maintenance, repair, and replacement of any such storm water management facility, upon failure of the lot owners to timely do so. Further, should the City undertake operation, maintenance, repair and replacement of such facilities as herein provided, the City shall be entitled to be reimbursed for all costs incurred in effecting same and, upon failure of the lot owner(s) to reimburse the City for his or her pro-rata share of the cost, the City is authorized and empowered to implement the provisions of Paragraph 3, to establish and collect assessments to pay the defaulting lot owners' share of the costs. The power and authority herein granted to and vested in the City shall apply, notwithstanding the existence or nonexistence of an organized property owner's association.
- 3. By acceptance of the deed or other instrument of conveyance for his/her/their lot within the Subdivision, each lot owner shall be deemed to covenant and agree to pay any assessment levied to offset the costs incurred by the City for the operation, maintenance, repair, and replacement of any storm water management facility servicing the Subdivision hereinafter referred to as the "Storm Water Assessment." This Storm Water Assessment, together with such interest thereon and costs of collection as provided below, shall be a continuing lien on the lot affected and shall also be a personal obligation of the owner(s) of such lot from the date when the Storm Water Assessment is due and payable until paid in full. Such personal obligation shall not pass to successors in title to the affected lot unless expressly assumed by such successor. Any Storm Water Assessment levied as set forth in these covenants and conditions shall become a lien on the affected lot as soon as such assessment is due and payable. In the event any owner fails to pay the Storm Water Assessment when due, the Storm Water Assessment shall then bear interest at the maximum legal rate permitted by the State of Arkansas on the date when such Storm Water Assessment is due and shall continue to accrue at that rate until it is paid in full. Such Storm Water Assessment shall be due fifty (50) days after the date it has been fixed and levied, and, if not paid, shall become delinguent and the payment of both the principal and interest accrued may be enforced as in the case of a laborer's lien on the affected lot, and a notice of such lien may be filed with the Circuit Clerk of Benton County, Arkansas. In the event legal proceedings are commenced to collect the Storm Water Assessment, or if the services of any attorney are retained by the City, the non-paying owner or owners shall be obligated to pay all costs incurred, plus reasonable attorney fees, which costs, and fees shall become a portion of the lien and may be foreclosed on in the same manner as the assessment as provided above.
- 4. The Storm Water Assessment shall be used exclusively to offset any cost to the City associated with operation, maintenance, repair, and replacement of any storm water management facility which services the Subdivision.
- 5. These covenants and conditions shall run with the land and shall be binding on the present owner and all persons hereafter acquiring title in any manner to any part of the Subdivision. These covenants may not be terminated or amended without the approval and consent, evidenced by a resolution duly adopted, of the City Council of the City of Centerton."

aay o:	, 20	
Printed - Name / Company	Owner Signature / title	Date
Printed - Name / Company	Owner Signature / title	Date
	ACKNOWLEDGMENT	
STATE OF ARKANSAS)		
) ss. COUNTY OF BENTON)		
qualified and acting, within and fo		ed in person the within named that s/he/they is/are the owner(s) o
SUBSCRIBED and sworn to before	re me thisday of, 20	-
	Notary I	Public
My Commission Expires:	•	Public
	•	Public
For Business Entity: STATE OF ARKANSAS)) ss.		Public
For Business Entity: STATE OF ARKANSAS)) ss. COUNTY OF BENTON) On this day of qualified and acting, within and execute such instrument, who seed to see the corporation, and was duly authorized to a see the corporation and on behalf of said corporation and delivered said foregoiness.		Notary Public, duly commissioned, ed in person the within named authorized by said corporation to e of the foregoing instrument for and in the edged that s/he/they had so signed
On this day of qualified and acting, within and execute such instrument, who scorporation, and was duly authorize name and on behalf of said corporation executed and delivered said foregoi and set forth.	, 20, before me, a for said County and State, appear, being the person(s) stated that s/he/they was/were the din his/her capacity to execute the ation, and further stated and acknowle	Notary Public, duly commissioned, ed in person the within named authorized by said corporation to e of the foregoing instrument for and in the edged that s/he/they had so signed ses and purposes therein mentioned

My Commission Expires: